

N°	Titre de la publication	Auteurs	Journal	Année
1	Solutions pratiques pour développer l'abricotier dans Hodna, Algérie	BAHLOULI Fayçal	Editions Universitaires Européennes	2016
2	Etude de l'effet des différents types de productions fruitières sur le comportement de deux variétés d'abricotier ( <i>Prunus armeniaca</i> L.) dans la zone de Boukhmissa, M'sila	BAHLOULI Fayçal, ZEMMIT Djamel	REVUE AGRICULTURE	2016
3	Étude de l'effet de l'âge des rameaux fruitiers sur le comportement de quatre variétés d'abricotier ( <i>Prunus armeniaca</i> ) dans la région de Boukhmissa, Msila	BAHLOULI Fayçal, GUELIANE Karima, AMEUR Saliha	REVUE AGRICULTURE	2016
4	A first checklist and diversity of ants (Hymenoptera: Formicidae) of the saline dry lake Chott El Hodna in Algeria, a Ramsar Conservation Wetland.	G. Barech, M. Khaldi, S. Ziane, A. Zedam, S. Doumandji, M. Sharaf & X. Espadaler	African Entomology 24(1): 143–152 (2016) Entomological Society of Southern Africa	2016
5	The impact of climatic conditions on the production of cereals in semi-arid region of	N. Benkherbache,	Book of abstract AGROSYM	2016

	M'sila – Algeria	R. Benniou, N. Attalah, N. Kettab		
6	Effet de l'assolement cultural sur la dynamique des adventices conduit en semis direct en milieu semi-aride. Cas de la région Ain El-Khadra M'sila	R. Benniou, Kh. Zabi , H. Terrafi , N. Benkherbache , A. Mebarkia , M. Hamdani, F. Djellakh , D. Sersoub, H. Bendada et H. Belguet	Revue Agriculture	2016
7	Étude de l'effet de semis direct sur la dynamique des adventices en fonction de l'assolement culturale en milieu semi-aride. Cas de la région de Ouled Mansour M'sila	R. Benniou, D. Souadia, H. Nasri, N. Benkherbache	Revue Agriculture	2016

		, M. Hamdani., D. Sersoub, S. Laouer , H. Bendada et H. Belguet		
8	Historical and contemporary factors generate unique butterfly communities on islands	R. Vodã, L. Dapporto , V.Dincã, T. G. Shreeve , M. Khaldi, G. Barech , K. Rebbas , P. Sammut, S. Scalercio , P.D. N. Hebert & R. Vila	Scientific Reports	2016
9	<u>Molecular evidence supports recent anthropogenic introduction of the Algerian hedgehog <i>Atelerix algirus</i> in Spain, Balearic and Canary islands from North Africa.</u>	Khaldi M., Ribas A. , Barech G., Hugot J.P. , Benyettou M. , Albane L , Arrizabalaga A. and Nicolas V.	Mammalia	2016
10	A first checklist and diversity of ants (Hymenoptera: Formicidae) of the saline dry lake Chott El Hodna in Algeria, a Ramsar Conservation Wetland.	G. Barech, M. Khaldi, S. Ziane, A. Zedam,	African Entomology	2016

		S. Doumandji, M. Sharaf & X. Espadaler		
11	Vascular flora analysis of the southern part of Chott El Hodna wetland (Algeria).	Zedam A. & Fenni M.	International Journal of the Bioflux Society – AES BIOFLUX Advances in Environmental Sciences , 7(3):357-368.	2015
12	Length-weight relationships of four non-native cyprinid from the semiarid region in North-East of Algeria	MIMECHE F, BICHE M.	AAFL BIOFLUX 8(1):82-88.	2015
13	Age structure and growth of Algerian barbel <i>Luciobarbus callensis</i> (Valenciennes, 1842) (Cyprinidae) in El-Harrach River (North of Algeria).	Abdellah MORSI , Fateh MIMECHE , Mohamed BICHE	AAFL BIOFLUX 8(4): 475-484.	2015
14	Growth parameters of <i>Cyprinus carpio</i> Linnaeus, 1758 (Cyprinidae) in the K'sob reservoir in M'Sila (Algeria)	F.MIMECHE , M. BELHAMRA , H. MIMECHE	Courrier du Savoir , N°19 :59-64.	2015
15	Climate Change and Agriculture Conservation in Semi-Arid Environment.	R. Benniou and F. Bahlouli	Energy Procedia	2015
16	Redécouverte de la fourmi d'Argentine <i>Linepithema humile</i> en Algérie : un fléau qui peut menacer la biodiversité	Barech Ghania, K. Rebbas, M. khaldi	boletín de la sociedad entomológica aragonesa n° 56(30/6/2015) 269-272	2015
17	Redécouverte de la Fourmi d'Argentine <i>Linepithema humile</i> (Hymenoptera : Formicidae) en	Barech G., Rebbas K.	Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)	2015

	Algérie: Un fléau qui peut menacer la biodiversité	, Khaldi M., Doumandji S. & Espadaler X.		
18	Abundance, age and growth of the Algerian barbel in the Ksob reservoir (M'Sila, NE of Algeria).	F. MIMECHE, M.BICHE, F. J OLIVA- PATERNA	Libro De Acta SIBIC2012 – IV Jornadas Ibéricas De Ictiología .17 a 19 de julio. Universidad de Girona, España. ISBN 978 - 84-8458- 440 - 7. Pp 33-40	2014
19	Formes d'organisation et techniques culturales en zones semi-arides de l'Est Algérien	R. Benniou et M. Bounaoua	Revue des Régions Arides	2014
20	The impact of conservation tillage in soil quality and yield in semi-arid conditions	R. Benniou, N. Benkherbache, Z. Belgasmi, M. Mezaache	The Soul of soil and civilization	2014
21	Analyse des itinéraires techniques dans les exploitations agricoles céréalières en milieu semi-aride de l'Est Algérien.	Benniou R., Aubry C., Abbas K.	Revue Agriculture	2014
22	First report of natural infection in hedgehogs with Leishmania major, a possible reservoir of zoonotic cutaneous leishmaniasis in Algeria	M. Tomás-Pérez, M. Khaldi, C. Riera, D. Mozo-León, A. Ribas, M. Hide, G. Barech, M. Benyettou, K. Seghiri, S. Doudou and R. Fisa	Acta Tropica	2014
23	Study of Natural Resources Biodiversity for Sustainable Development of the Plain of M'sila, North Western Area of the Basin of Hodna Algeria	BAHLOULI F., AMROUNE A., TELLACHE S., TIAIBA A., ZEDAM A., SLAMANI A.	Agricultural Journal	2013
24	Pomological and morphological study of some varieties of	Bahlouli F., Amroune A., Tellache S., Tiaiba A., Zedam A., & Slamani	International Journal of Botany and Research, 2013.	2013

	apricot ( <i>Prunus armeniaca</i> L.) in the region of Hodna (M'sila), Algeria.	A		
25	Determination of genetic relationships by Molecular markers of SSR type, for some varieties of apricot in the region Hodna, (M'sila), Algeria.	Bahlouli F., Benniou R., Tiaiba A., Zedam A., & Slamani A.	International Journal of Agricultural Science and Research, 2013.	2013
26	Population structure, age and growth of <i>Luciobarbus callensis</i> (Cyprinidae) in a man-made lake from Maghreb (NE, Algeria).	F. MIMECHE, M.BICHE, A.RUIZ-NAVARRO, F. J OLIVA – PATERNA	Limnetica, 32 (2): 391-404	2013
27	Irrigated farm management in semi-arid area East Algeria.	Benniou R., and Van Damme P.	Revue Agriculture	2013
28	Characterization of Some Varieties of Apricot Tree Located in the Area of Hodna, Zone of Boukhmissa, South-East of Algeria	Bahlouli Faycal, Benniou R., Tiaiba A., Zedam A., Slamani A., Benkchida M.	Research Journal of Biological Sciences	2012
29	Agro-ecological study of the plain of M'sila, western northern zone of the basin of the Hodna, wilaya of M'sila, Algeria”.	Faycal Bahlouli, A. Amroune, S. Tellache, A. Tiaiba, A. Zedam, A. Slamani	Agricultural Journal 7(1) : 10-16, 2012	2012
30	Flora of ecological and economic interest of the area Dreat (Northern of Hodna, Algeria)”.	BOUNAR R., BAHLOULI f., REBBAS K., GHADBANE M., CHERIEF A., BENDERRADJI L.	Environmental Research Journal–Medwell Journals 6 ( 3 ) : 235 – 238.	2012
31	Agro-ecological study of the plain of M'sila, western northern zone of the basin of Hodna,	Bahlouli F., Amroune A., Tellache S., Tiaiba A., Zedam A., & Slamani A.	Agricultural Journal, 7 (1): 10-16	2012

	wilaya of M'sila, Algeria.			
32	Study of natural resources biodiversity for sustainable development of the plain of M'sila, north – western area Hodna basin, Algeria.	Bahlouli F., Amroune A., Zedam A., Tiaiba A., Tellache S. & Slamani A.	Journal of Applied Sciences Research, 8 (9): 4770-4776	2012
33	Farm diversity and crop growing practices in semi-arid regions: A case study of the Setif high plains in Algeria.	R. Benniou and C. Aubry	African Journal of Agricultural Research	2012
34	Irrigation Water Use Impact on the Farms Dynamism and the Management of Cultivation of Cereals in Semi-Arid Area in East Algeria	R. Benniou and C. Aubry	In book, Crop Science and Technology for Food Security, Bioenergy and Sustainability	2012
35	From Minimum Tillage to No Tillage, Reaction of Waha, Variety of Durum Wheat in Algerian Semi-arid Region.	Benkherbache N. Benniou R., Merat M., Mekhalifa T. & Makhlouf M.	The Online Journal of Science and Technology	2012
36	Agriculture conservation role of moisture and soil organic matter semi-arid.	R. Benniou	Journal of Materials and Environmental Science	2012
37	Endoparasites (Helminths and Coccidians) in the hedgehogs <i>Atelerix algirus</i> and <i>Paraechinus aethiopicus</i> from Algeria.	M. Khaldi, J. Torres, B. Samsó, J. Miquel, M. Biche, M. Benyettou, G. Barech, H. A. Benelkadi & A. Ribas	African Zoology	2012
38	Rickettsiae in arthropods collected from the North African Hedgehog ( <i>Atelerix algirus</i> ) and the desert hedgehog	M. KHALDI, C. SOCOLOVSCHI, M. BENYETTOU, G. BARECH, M. BICHE, D. RAOULT and P. PAROLA	Comparative Immunology, Microbiology & Infectious Diseases	2012

	( <i>Paraechinus aethiopicus</i> ) in Algeria			
39	Rickettsiae in arthropods collected from the North African Hedgehog ( <i>Atelerix algirus</i> ) and the desert hedgehog ( <i>Paraechinus aethiopicus</i> ) in Algeria	M. KHALDI, C. SOCOLOVSKI, M. BENYETTOU, G. BARECH, M. BICHE, D. RAOULT and P. PAROLA	Comparative Immunology, Microbiology & Infectious Diseases	2012
40	Characterization of some varieties of apricot tree located in the area of Hodna, zone of Boukhmissa, south-east of Algeria.	Bahlouli F., Benniou R., Tiaiba A., Zedam A., Slamani A., & Benkchida M.	Research Journal of Biological Sciences 6 (7): 333-337	2011
41	Characterization of Some Varieties of Apricot Tree Located in the Area of Hodna, Zone of Boukhmissa, South-East of Algeria.	Bahlouli F., Benniou R., Tiaiba A., Zedame A. Selamani A. and Benkchida M.,	Research Journal of Biological Sciences	2011
42	One more country in the worldwide spread of the woolly ant: <i>Tetramorium lanuginosum</i> in Algeria (Hymenoptera: Formicidae)	G. BARECH, M. KHALDI, S. DOUMANDJI & X. ESPADALER	Myrmecological News	2011
43	Economic Analysis of the Farms Activities in Semi-arid Areas of Algerian Est.	R. Benniou and C. Aubry	World Journal of Fungal and Plant Biology	2010
44	Prédation de la fourmi <i>Cataglyphis bicolor</i> (Hymenoptera, Formicidae) aux abords du marais de Réghaïa	OUARAB S., BARECH G., ZIADA M. et DOUMANDJI S.	Actes de la VIème Conférence Internationale Francophone d'Entomologie	2010



	(Alger)			
45	Study of the factors of degradation of the culture of the apricot tree in the area of Boukhmissa, zone of Hodna, Wilaya of M'sila.	Bahlouli F., Cherief A., Khaldi M., Mefti M., Tellache S., Tiaiba A., Zedam A., & Slamani A.	Global Journal of Environmental Research 3 : 187-193	2009
46	Economic Analysis of the Farms Activities in Semi-arid Areas of Algerian Est	R. Benniou	American-Eurasian Journal of Sustainable Agriculture	2009
47	Place et rôle de l'élevage dans les systèmes de production agricoles en régions semi-arides de l'Est Algérien.	R. Benniou and C. Aubry	Revue fourrages	2009
48	Les formes d'organisation des exploitations agricoles et les pratiques céréalières en milieu semi-aride de l'Est Algérien.	R. Benniou and C. Aubry	Gestion des ressources en eau et en sol	2009
49	Study of the Factors of Degradation of the Culture of the Apricot Tree in the Area of Boukhmissa, Zone of Hodna, Wilaya of M'sila	Bahlouli F., Cherief A., KHALDI M., Mefti M., Tellache S., Tiaiba A., Zedam A. and Slamani A.	Global Journal of Environmental Research	2009
50	Study of Current Situation of the Apricot Tree Culture in the Area of Boukhmissa, Wilaya of M'sila, Algeria	Fayçal. Bahlouli, M. Mefti, A. Tiaiba, A. Zedam, S. Tellache, M. Khaldi, A. Cherief and A. Slamani	Academic Journal of Plant Sciences 1 (3): 37-41, 2008	2008
51	Etude des différentes méthodes de séchage d'abricot, point sur les méthodes de séchage traditionnelles dans la région du	Fayçal Bahlouli, A. Tiaiba et A. Slamani	Revue des Energies Renouvelables SMSTS'08 Alger (2008) 61 – 66	2008

	Hodna, wilaya de M'Sila			
52	Study of the current of the apricot tree culture in the area of Boukhmissa, Wilaya of M'sila, Algeria.	Bahlouli F., Mefti M., Tiaiba A., Zedam A., Tellache S., Khaldi M., Cherief A., & Slamani A.	Academic Journal of Plant Sciences 1 (3): 37-41	2008
53	Les techniques culturales des céréales et les logiques de production dans les milieux semi-arides. Cas des Hautes Plaines de l'est Algérien.	Benniou R.	Revue des Régions Arides	2008
54	Les systèmes de production dans les milieux semi-arides en Algérie: analyse agronomique de leur diversité et des systèmes de cultures céréalières dans les hautes plaines Sétifiennes.	Benniou R.	Revue Fourrages	2008
55	Study of Current Situation of the Apricot Tree Culture in the Area of Boukhmissa, Wilaya of M'sila, Algeria	Bahlouli F., Mefti M., Tiaiba A., Zedam A., Tellache S., Khaldi M., A. Cherief and A. Slamani	Academic Journal of Plant Sciences	2008
56	Effets de la vitesse et de la durée du remplissage du grain ainsi que de l'accumulation des assimilats de la tige dans l'élaboration du rendement du blé dur ( <i>Triticum durum</i> Desf.) dans les conditions de culture des hautes plaines orientales d'Algérie	Fayçal Bahlouli, Hamenna Bouzerzour & Ammar Benmahammed	Biotechnologie, Agronomie, Société et Environnement	2007
57	Essential oil of Algerian	D. M. Biondi ; M. Sari ; A.	Volume 21- Issue 3 – pp546-548.Wiley	2006

	Saccocalyx saturioides Coss. & Durieu .	Zedam & G. Ruberto	interscience USA	
58	Diversité des exploitations agricoles en région semi-aride Algérienne.	Benniou R. Brinis L.	Revue Sècheresse	2006
59	Analyse comparative de l'influence des techniques de préparation du lit de plantation pour pomme de terre sur quelques propriétés physiques et mécaniques du sol.	Boudjenouia A., Benniou R., Kesraoui H.	Revue Recherche Agronomique	2004
60	Influence du calibre de tubercules- mères sur la croissance de la partie aérienne et le rendement chez quatre variétés de pomme de terre (Solanum -tuberosum L.)	Benniou R., Benamara S., Boudjanouia A.	Revue Recherche Agronomique	2004
61	Exploitations agricoles des milieux semi-arides de la région de Sétif et adaptation de leurs systèmes de production.	Benniou R., Madani T. et Brinis L.	Journal Algérien des régions arides	2003
62	Effet du calibre du tubercule-mère sur la croissance de la partie aérienne et la tubérisation chez quatre variétés de pomme de terre (Solanum-tuberosum L.).	Benniou R. et Benamara S.	Revue des Annales	2003
63	Influences des méthodes de préparation du lit de plantation sur le buttage et les travaux de	Boudjenouia A., Benniou R., Kesraoui H.	Revue Recherche Agronomique	2003

	récolte de la pomme de terre.			
64	Influence de la dimension des plants-mères sur le rendement final et celui des différents calibres chez quatre variétés de pomme de terre ( <i>Solanum tuberosum</i> L.).	Benniou R. et Benamara S.	Revue Sciences et Technologie	2001